


Versatility is the Payloader's middle name! Choose from standard rated capacities that range from 2,400 to 4,000 lbs, and if you need to tow, the Payloader has you covered all the way up to 9 tons!

Need to carry more? Have a unique application requirement? Maintenance-free batteries, van bodies, operator cabins and folding side rails are just the beginning of a long list of available options. Let us know what you need and we'll build it!





PAYLOADER



46 in.				
Dimensions		Power Train		
Width: 46 in.		Motor: Electric, 48V DC Super Duty: 48V AC		per Duty: 48V AC
Step Height: 16.5 in.		Batteries:	Eight 6-volt, heavy-duty, 232 amp hour deep cycle	
Load Bed Height:	29 in.			
Ground Clearance: 4.5 in.		Controller Rating: 400 amp Super Duty: 450 amp		
Performance		Chassis		
		Brakes:	Rear-wheel hydraulic drum brakes, auto-adjusting, hand operated parking brake w/ anti-drive-away interlock	
Turning Radius:	Curb to Curb - 264 in.	Super Duty		
		Brakes:	auto-adjusting, automatic parking brake	
Range ¹ : Up to 30 miles		Suspension: Rear-Independent leaf springs		
		Tires: Pneumatic tires, 5.70" x 8", 8 ply, load range D		
		Super Duty Tires: Pneumatic super duty tires, 5.00" x 8", 10 ply		
Standard 4X 4 Passengers		Heavy Duty 4X 4 Passengers		Heavy Duty 2X 2 Passengers
Length: 120.25 in.		Length: 120.25 in.		Length: 106 in.
Wheel Base: 65 in.		Wheel Base: 65 in.		Wheel Base: 51 in.
Cargo Deck: 76 in. x 45 in.		Cargo Deck: 76 in. x 45 in.		Cargo Deck: 62 in. x 45 in.
Vehicle Weight: 1,690 lbs.		Vehicle Weight: 1,720 lbs.		Vehicle Weight: 1,720 lbs.
Rated Capacity ² : 2,400 lbs.		Rated Capacity ² : 3,200 lbs.		Rated Capacity ² : 3,200 lbs.
Towing Capacity ³ : 6,500 lbs.		Towing Capacity ³ : 10,000 lbs.		Towing Capacity ³ : 10,000 lbs.
Horsepower: 15.3		Horsepower: 17.3		Horsepower: 17.3
Max Speed: 14 MPH		Max Speed: 13 MPH		Max Speed: 13 MPH
Standard 2XL 2 Passengers		Heavy Duty 2XL 2 Passengers		Super Duty 2XL 2 Passengers
Length: 120.25 in.		Length: 120.25 in.		Length: 120.25 in.
Wheel Base: 65 in.		Wheel Base: 65 in.		Wheel Base: 65 in.
Cargo Deck: 7		Cargo Deck: 76 in. x 45 in.		Cargo Deck: 76 in. x 45 in.
Vehicle Weight: 1,690 lbs.		Vehicle Weight: 1,720 lbs.		Vehicle Weight: 1,850 lbs.
Rated Capacity ² : 2,400 lbs.		Rated Capacity ² : 3,200 lbs.		Rated Capacity ² : 4,000 lbs.
Towing Capacity ³ : 6,500 lbs.		Towing Capacity ³ : 10,000 lbs.		Towing Capacity ³ : 18,000 lbs.
Horsepower: 15.3		Horsepower: 17.3		Horsepower: 19
Max Speed: 14 MPH		Max Speed: 13 MPH		Max Speed: 12 MPH

Features, options, specifications, color availability and model designation are subject to change without notice. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you order includes the equipment you require.
¹ Range will vary depending on temperature, grade, payload and driving style. |² Rated Capacity Includes personnel, cargo, options and accessories.
³ Towing Capacity is rolling load that the vehicle can tow on a flat / level surface.

All specifications are subject to change without notice.

Columbia Vehicle Group, Inc.






A Nordic Group Company | Business Ventures Since 1947 1115 Commercial Ave. Reedsburg, WI 53959 columbiavehicles.com











Call your local Hupp Toyotalift branch for a quote today!

CEDAR RAPIDS 319.362.0098

DAVENPORT 563.322.3168

ANKENY 515.965.5555

WATERLOO 319.433.0029

PEORIA, IL. 309.674.4877









